

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9109	(707/1,3,4,5,6,10,100).CCLS.	USPAT; USOCR	OR	OFF	2005/04/28 09:36
S2	1	S1 & ( quer\$3 with API same protocols).ab.	USPAT	OR	OFF	2005/04/28 10:00
S3	5	S1 & ( quer\$3 with API same protocols)	USPAT	OR	OFF	2005/04/28 11:59
S4	4	S1 & ( quer\$3 with call\$1 same protocols)	USPAT	OR	OFF	2005/04/28 10:09
S5	74	S1 & ( quer\$3 with API & protocols)	USPAT	OR	OFF	2005/04/28 13:03
S6	1	S1 & ( quer\$3 with API & protocols).ab.	USPAT	OR	OFF	2005/04/28 10:05
S7	2	S1 & (( quer\$3 with API ) & (protocols with quer\$6))	USPAT	OR	OFF	2005/04/28 10:08
S8	1	( "6,016,499").pn.	USPAT	OR	OFF	2005/04/28 10:08
S9	28	( quer\$3 with call\$1 with protocols) same ( databas\$3 or MIO or OID)	USPAT	OR	OFF	2005/04/28 10:10
S10	0	(( quer\$3 with call\$1 same protocols) same ( databas\$3 or MIO or OID)).ab.	USPAT	OR	OFF	2005/04/28 10:11
S11	0	(( quer\$3 with call\$1 same protocols) & ( databas\$3 or MIO or OID)).ab.	USPAT	OR	OFF	2005/04/28 10:10
S12	1	(( quer\$3 with API same protocols) same ( databas\$3 or MIO or OID)).ab.	USPAT	OR	OFF	2005/04/28 10:11
S13	2	(( quer\$3 with API with protocols) same ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:12
S14	3	(( quer\$3 with API same protocols) same ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:12
S15	3	(( quer\$3 or XQL) with API same protocols) same ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:13
S16	13	(( quer\$3 or XQL) with API same protocols) & ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:16
S17	50	(( quer\$3 or SQL) with API same protocols) & ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:16
S18	5	(( quer\$3 or SQL) with API with protocols) & ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 11:25
S19	0	(( quer\$3 or SQL) with ( function\$1 near1 call\$3) with protocols) & ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:23

S20	4	(( quer\$3 or SQL) with (function\$1 near1 call\$3) with different\$1 ) & ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 10:24
S21	0	S1 & ( quer\$3 with API with (different\$3 near2 protocols) )	USPAT	OR	OFF	2005/04/28 10:25
S22	0	S1 & ( quer\$3 with API with (different\$3 near2 protocol\$1 ) )	USPAT	OR	OFF	2005/04/28 10:25
S23	1	S1 & ( quer\$3 with API same (different\$3 near2 protocol\$1 ) )	USPAT	OR	OFF	2005/04/28 10:25
S24	1	( "5,951,649").pn.	USPAT	OR	OFF	2005/04/28 10:36
S25	2	S5 & ( interpret\$6 with quer\$6 with protocol\$3)	USPAT	OR	OFF	2005/04/28 11:39
S26	50	(( quer\$3 or SQL) with API same protocols) & ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 11:43
S27	1	S26 & ( interpret\$6 with quer\$6 with protocol\$3)	USPAT	OR	OFF	2005/04/28 11:39
S28	1	S26 & ( interpret\$6 with quer\$6 )	USPAT	OR	OFF	2005/04/28 11:39
S29	4	S5 & ( interpret\$6 with quer\$6 )	USPAT	OR	OFF	2005/04/28 11:39
S30	5	(( quer\$3 or SQL) with API with protocols) & ( databas\$3 or MIO or OID))	USPAT	OR	OFF	2005/04/28 11:52
S31	5	(( quer\$3 or SQL) with API with protocols)	USPAT	OR	OFF	2005/04/28 11:54
S32	0	(( quer\$3 or SQL) with API with protocols) & ( OID)	USPAT	OR	OFF	2005/04/28 11:54
S33	32	(( quer\$3 or SQL) with API same protocols) & ( OID)	USPAT	OR	OFF	2005/04/28 11:55
S34	0	(( quer\$3 or SQL) with API same protocols) same ( OID)	USPAT	OR	OFF	2005/04/28 11:54
S35	6	S1 & (( quer\$3 or SQL) with API same protocols) & ( OID)	USPAT	OR	OFF	2005/04/28 11:58
S36	32	(( quer\$3 or SQL) with API same protocols) & ( OID)	USPAT	OR	OFF	2005/04/28 11:58
S37	5	S1 & ( quer\$3 with API same protocols)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:03
S38	10	S1 & ( quer\$3 with API & protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:12

S39	17	( quer\$3 with API & protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:18
S40	2	( quer\$3 same (API or (function\$1 near2 call\$3) ) same protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:20
S41	50	( quer\$3 & (API or (function\$1 near2 call\$3) ) same protocols) & OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:20
S42	4	( quer\$3 & (API or (function\$1 near2 call\$3) ) same protocols) same OID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:21
S43	16	S1 & ( map\$6 with API with (quer\$3 or SQL))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:41
S44	44	( map\$6 with API with (quer\$3 or SQL))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:41
S45	2	( map\$6 with API with (quer\$3 or SQL)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:42
S46	20	( map\$6 with API with (quer\$3 or SQL)) same database\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:49

S47	0	( "6,775,661").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 12:49
S48	2	( "6,775,661" B1).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 13:03
S49	11	S1 & ( quer\$3 with API with translat\$6)	USPAT	OR	OFF	2005/04/28 13:33
S50	8	S1 & ( quer\$3 with API with translat\$6) & ( map\$6)	USPAT	OR	OFF	2005/04/28 13:16
S51	11	S1 & ( quer\$3 with API with translat\$6)	USPAT	OR	OFF	2005/04/28 13:23
S52	0	( interpret) & ( "5,873,080").pn.	USPAT	OR	OFF	2005/04/28 13:23
S53	1	( "5,873,080").pn.	USPAT	OR	OFF	2005/04/28 13:24
S54	0	S53 & interpret\$6	USPAT	OR	OFF	2005/04/28 13:23
S55	0	S1 & ( quer\$3 with API with correspond\$6 )	USPAT	OR	OFF	2005/04/28 13:33
S56	2	S1 & ( SQL with API with correspond\$6 )	USPAT	OR	OFF	2005/04/28 13:35
S57	0	S1 & ( SQL with API with tranform\$6 )	USPAT	OR	OFF	2005/04/28 13:36
S58	0	S1 & ( (SQL or quer\$3) with API with tranform\$6 )	USPAT	OR	OFF	2005/04/28 13:36
S59	24	( (SQL or quer\$3) with API with (tranform\$6 or correspond\$6 or identif\$3))	USPAT	OR	OFF	2005/04/28 13:37
S60	14	S1 & ( (SQL or quer\$3) with API with (tranform\$6 or correspond\$6 or identif\$3))	USPAT	OR	OFF	2005/04/28 13:39
S61	48	S1 & ( (SQL or quer\$3) with API with (tranform\$6 or correspond\$6 or form\$6 or transfer\$6) )	USPAT	OR	OFF	2005/04/28 13:40
S62	46	S1 & ( (SQL or quer\$3) with API with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 ) )	USPAT	OR	OFF	2005/04/28 13:40
S63	2	S1 & ( (SQL or quer\$3) with API with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 ) ) same protocol\$1	USPAT	OR	OFF	2005/04/28 13:45

S64	18	S1 & ( (SQL or quer\$3) with API with (transform\$6 or correspond\$6 or form\$6 or convert\$6 ) ) & protocol\$1	USPAT	OR	OFF	2005/04/28 14:18
S65	2	S1 & ( (SQL or quer\$3) with ( API or ( function\$1 near2 call\$3) ) with ( translat\$6 ) same protocol\$1 )	USPAT	OR	OFF	2005/04/28 14:09
S66	14	S1 & ( (SQL or quer\$3) with ( API or ( function\$1 near2 call\$3) ) with ( translat\$6 ) & protocol\$1 )	USPAT	OR	OFF	2005/04/28 14:00
S67	2	S1 & ( (SQL or quer\$3) with ( API or ( function\$1 near2 call\$3) ) with ( translat\$6 ) same protocol\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:10
S68	2	S1 & ( (SQL or quer\$3) with ( API or ( function\$1 near2 call\$3) ) with ( (translat\$6 or map\$6) ) same protocol\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:10
S69	0	( (SQL or quer\$3) with API with (transform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same ( databas\$3) & protocol\$1	USPAT	OR	OFF	2005/04/28 14:20
S70	23	( (SQL or quer\$3) with API with (transform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same ( databas\$3) & protocol\$1	USPAT	OR	OFF	2005/04/28 14:26
S71	21	S1 & ( (SQL or quer\$3) with API with (transform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same ( databas\$3)	USPAT	OR	OFF	2005/04/28 14:35
S72	63	S1 & ( (SQL or quer\$3) with API with (transform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) )	USPAT	OR	OFF	2005/04/28 14:45
S73	5	S1 & ( (SQL or quer\$3) with API with (transform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same network\$3	USPAT	OR	OFF	2005/04/28 14:35
S74	29	( ( quer\$3) with API with (transform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same databas\$6	USPAT	OR	OFF	2005/04/28 14:46

S75	29	(( quer\$3) with API with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same databas\$6 & network\$6	USPAT	OR	OFF	2005/04/28 14:57
S76	25	S1 & (( quer\$3) same API with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same databas\$6 & network\$6	USPAT	OR	OFF	2005/04/28 15:08
S77	65	S1 & (( quer\$3) same API with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) & network\$6	USPAT	OR	OFF	2005/04/28 14:57
S78	5	S1 & (( quer\$3) same API with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same protocol\$1	USPAT	OR	OFF	2005/04/28 15:09
S79	3	S1 & (( quer\$3) with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) same API same protocol\$1	USPAT	OR	OFF	2005/04/28 15:17
S80	1	S1 & (( quer\$3) with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) with API\$1 same protocol\$1	USPAT	OR	OFF	2005/04/28 15:17
S81	57	S1 & (( tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) with API\$1 same protocol\$1	USPAT	OR	OFF	2005/04/28 15:18
S82	12	S1 & ( request\$3 with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) with API\$1 same protocol\$1	USPAT	OR	OFF	2005/04/28 15:18
S83	12	S1 & ( request\$3 with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) with API\$1 same protocol\$1	USPAT	OR	OFF	2005/04/28 15:19
S84	9	S1 & ( request\$3 with (tranform\$6 or correspond\$6 or form\$6 or convert\$6 or translat\$6 or mapp\$6 ) ) with API\$1 same protocol\$1 & (SQL or quer\$3)	USPAT	OR	OFF	2005/04/28 16:18
S85	1	("6,023,684").pn.	USPAT	OR	OFF	2005/04/28 16:18